

PIECES PER MODE OF TRANSPORTATION

SIZE	WT/FT	WT/PC	PCS TRUCK	WEIGHT	PCS RAIL	WEIGHT	PCS BARGE	(Tons) WEIGHT
24 x 250	63.41	2524	16	40384	29	73196	552	697
24 x 281	71.18	2833	16	45328	29	82157	552	782
5524 x 312	78.93	3141	14	43974	29	91089	552	867
24 x 344	86.91	3459	13	44967	29	100311	552	955
24 x 375	94.62	3766	12	45192	29	419214	552	1039
24 x 406	102.31	4072	11	44792	29	118088	552	1124
24 x 438	110.22	4387	10	43870	29	127223	552	1211
24 x 469	117.86	4691	9	42219	29	136039	552	1295
24 x 500	125.49	4995	9	44955	29	144855	552	1379
24 x 562	140.68	5599	8	44792	25	139975	552	1545
24 x 625	156.03	6210	7	43470	24	149040	499	1549
24 x 688	171.29	6817	6	40902	21	143157	455	1551
24 x 750	186.23	7412	6	44472	20	148240	418	1549
24 x 812 (35°)	201.90	7026	6	42156	21	147546	439	1542
24 x 875 (30°)	216.10	6440	7	45080	22	141680	478	1539
24 x 938 (25°)	231.03	5753	7	40271	25	143825	539	1550
24 x 1.0 (20°)	245.64	4888	9	43992	29	141752	635	1552
26 x 250	68.75	2736	9	24624	21	57456	476	651
26 x 281	77.18	3072	9	27648	21	64512	476	731
26 x 312	85.60	3407	9	30663	21	71547	476	811
26 x 344	94.26	3752	9	33768	21	78792	476	893
26 x 375	102.63	4085	9	36765	21	85785	476	972
26 x 406	110.98	4417	9	39753	21	92757	476	1051
26 x 438	119.57	4759	9	42831	21	99939	476	1133
26 x 469	127.88	5090	9	45810	21	106890	476	1211
26 x 500	136.17	5420	8	43360	21	113820	476	1290
26 x 562	152.68	6077	7	42539	21	127617	476	1446
26 x 625	169.38	6741	6	40446	21	141561	460	1550
26 x 688	185.99	7402	6	44412	19	140638	419	1551
26 x 750	202.25	8050	5	40250	17	136850	385	1550
26 x 812 (35°)	218.43	6990	6	41940	21	146790	444	1552
26 x 875 (30°)	234.79	6997	6	41982	21	146937	443	1550
26 x 938 (25°)	251.07	6252	7	43764	21	131292	496	1550
26 x 1.0 (20°)	267.00	5313	8	42504	21	111573	584	1551
28 x 250	74.09	2949	9	26541	19	56031	392	578
28 x 281	83.19	3311	9	29799	19	62909	392	649
28 x 312	92.26	3672	9	33048	19	69768	392	720
28 x 344	101.61	4044	9	36936	19*	76836	392	793
28 x 375	110.64	4403	9	39627	19	83657	392	863
28 x 406	119.65	4762	9	42858	19	90478	392	933
28 x 438	128.93	5131	9	46179	19	97489	392	1006
28 x 469	137.90	5488	8	43904	19	104272	392	1076
28 x 500	146.85	5845	7	40915	19	111055	392	1146
28 x 562	164.69	6555	7	45885	19	124545	392	1285
28 x 625	182.73	7273	6	43638	19	138187	392	1426
28 x 688	200.68	7987	5	39935	17	135779	388	1549
28 x 750	218.27	8687	5	43435	17	147679	357	1551
28 x 812	235.78	9384	4	37536	15	140760	330	1548
28 x 875	253.48	10089	4	40356	13	131157	307	1549
28 x 938	271.10	10790	4	43160	13	140270	287	1548
28 x 1.0 (30°)	288.36	8593	5	42965	17	146081	361	1551
28 x 1.062 (25°)	305.54	7608	6	45648	19	144552	408	1552
28 x 1.125 (20°)	322.90	6426	7	44982	19	122094	483	1552



[return to index](#)

PIECES PER MODE OF TRANSPORTATION

SIZE	WT/FT	WT/PC	PCS TRUCK	WEIGHT	PCS RAIL	WEIGHT	PCS BARGE	(Tons) WEIGHT
30 x 250	79.43	3161	9	28449	19	60059	372	588
30 x 281	89.19	3550	9	31950	19	67450	372	660
30 x 312	98.93	3937	9	35433	19	74803	372	732
30 x 344	108.95	4336	9	39024	19	82384	372	806
30 x 375	118.65	4722	9	42498	19	89718	372	878
30 x 406	128.32	5107	9	45963	19	97033	372	950
30 x 438	138.29	5504	8	44032	19	14576	372	1024
30 x 469	147.92	5887	7	41209	19	111853	372	1095
30 x 500	157.53	6270	4	43890	19	119130	372	1166
30 x 562	176.69	7032	6	42192	19	133608	372	1308
30 x 625	196.08	7804	5	39020	19	148276	372	1452
30 x 688	215.38	8572	5	42860	17	145724	362	1551
30 x 750	234.29	9325	5	46625	16	149200	332	1548
30 x 812	253.12	10074	4	40296	13	130962	308	1551
30 x 875	272.17	10832	4	43328	13	140816	286	1549
30 x 938	291.14	11587	4	46348	12	139044	267	1547
30 x 1.0	309.72	12327	3	36981	12	147924	251	1547
30 x 1.062 (30')	328.22	9781	4	39124	15	146715	317	1550
30 x 1.125 (25')	346.93	8639	5	43195	17	146863	359	1551
30 x 1.188 (25')	365.56	9102	5	45510	16	145632	341	1552
30 x 1.25 (20')	383.81	7638	6	45828	17	129846	406	1551
32 x 250	84.77	3374	9	30366	11	37114	312	526
32 x 281	95.19	3789	9	34101	11	41679	312	591
32 x 312	105.59	4202	9	37818	11	46222	312	656
32 x 344	116.30	4629	9	41661	11	50919	312	722
32 x 375	126.66	5041	9	45369	11	55451	312	786
32 x 406	136.99	5452	8	43616	11	59972	312	851
32 x 438	147.64	5876	7	41132	11	64636	312	917
32 x 469	157.94	6286	7	44002	11	69146	312	981
32 x 500	168.21	6695	6	40170	11	73645	312	1044
32 x 562	188.70	7510	6	45060	11	82610	312	1172
32 x 625	209.43	8335	5	41675	11	91685	312	1300
32 x 688	230.08	9157	5	45785	11	100727	312	1428
32 x 750	250.31	9962	4	39848	11	109582	311	1549
32 x 812	270.47	10765	4	43060	11	118415	288	1550
32 x 875	290.86	11576	4	46304	11	127336	268	1551
32 x 938	311.17	12385	3	37155	11	136235	250	1548
32 x 1.0	331.08	13177	3	39531	11	144947	235	1548
32 x 1.062 (30')	350.90	10457	4	41828	11	115027	296	1548
32 x 1.125 (25')	370.96	9237	5	46185	11	101607	336	1552
32 x 1.188 (25')	390.94	9734	4	38936	11	107074	319	1553
32 x 1.25 (20')	410.51	8169	5	40845	11	89859	380	1552

PIECES PER MODE OF TRANSPORTATION

SIZE	WT/FT	WT/PC	PCS		PCS		PCS	(Tons)
			TRUCK	WEIGHT	RAIL	WEIGHT		
34 x 250	90.11	3586	8	28688	11	39446	276	495
34 x 281	101.19	4027	8	32216	11	44297	276	556
34 x 312	112.25	4468	8	35744	11	49148	276	617
34 x 344	123.65	4921	8	39368	11	54131	276	679
34 x 375	134.67	5360	8	42880	11	58960	276	740
34 x 406	145.67	5798	6	34788	11	63778	276	800
34 x 438	157.00	6249	6	37494	11	68739	276	862
34 x 469	167.95	6684	6	40104	11	73524	276	922
34 x 500	178.89	7120	6	42720	11	78320	276	983
34 x 562	200.70	7988	5	39940	11	87868	276	1102
34 x 625	222.78	8867	5	44335	11	97537	276	1224
34 x 688	244.77	9742	4	38968	11	107162	276	1344
34 x 750	266.33	10600	4	42400	11	116600	276	1463
34 x 812	287.81	11455	4	45820	11	126005	271	1552
34 x 875	309.55	12320	3	36960	11	135520	252	1552
34 x 938	331.21	13182	3	39546	11	145002	235	1549
34 x 1.0	352.44	14027	3	42081	9	126243	221	1550
34 x 1.062 (35')	373.59	13001	3	39003	11	143011	238	1547
34 x 1.125 (30')	394.99	11771	3	35313	11	129481	263	1548
34 x 1.188 (25')	416.31	10366	4	41464	11	114026	299	1550
34 x 1.25 (20')	437.21	8700	5	43500	11	95700	356	1549
36 x 250	95.45	3799	5	18995	11	41789	240	456
36 x 281	107.20	4267	5	21335	11	46937	240	512
36 x 312	118.92	4733	5	23665	11	52063	240	568
36 x 344	131.00	5214	5	26070	11	57354	240	626
36 x 375	142.68	5679	5	28395	11	62469	240	681
36 x 406	154.34	6143	5	30715	11	67573	240	737
36 x 438	166.35	6621	5	33105	11	72831	240	795
36 x 469	117.97	7083	5	35415	11	77913	240	850
36 x 500	189.57	7545	5	37725	11	82995	240	905
36 x 562	212.70	8465	5	42325	11	93115	240	1016
36 x 625	236.13	9398	4	37592	11	103378	240	1128
36 x 688	259.47	10327	4	41308	11	113597	240	1239
36 x 750	282.35	11238	4	44952	11	123618	240	1349
36 x 812	305.16	12145	3	36435	11	133595	240	1457
36 x 875	328.24	13064	3	39192	11	143704	237	1548
36 x 938	351.25	13980	3	41940	9	125820	222	1552
36 x 1.0	373.80	14877	3	44631	9	133893	208	1547
36 x 1.062	396.27	15772	2	31544	9	141948	196	1546
36 x 1.125	419.02	16677	2	33354	8	133416	186	1551
36 x 1.188	441.69	17579	2	35158	8	140632	176	1547
36 x 1.25	463.91	18464	2	36928	8	147712	168	1551
36 x 1.312 (30')	486.05	14484	3	43452	9	130356	214	1550
36 x 1.375 (25')	508.47	12661	3	37983	11	139271	245	1551
36 x 1.487 (20')	548.11	10907	4	43628	11	119977	284	1549
36 x 1.50 (20')	552.69	10999	4	43996	11	120989	282	1551

PIECES PER MODE OF TRANSPORTATION

SIZE	WT/FT	WT/PC	PCS		PCS		PCS	(Tons)
			TRUCK	WEIGHT	RAIL	WEIGHT		
38 x 312	125.58	4998	4	19992	11	54978	224	560
38 x 344	138.35	5506	4	22024	11	60566	224	617
38 x 375	150.69	5997	4	23988	11	65967	224	672
38 x 406	163.01	6488	4	25952	11	71368	224	727
38 x 438	175.71	6993	4	27972	11	76923	224	783
38 x 469	187.99	7482	4	29928	11	82302	224	838
38 x 500	200.25	7970	4	31880	11	87670	224	893
38 x 562	224.71	8943	4	35772	11	98373	224	1002
38 x 625	249.48	9929	4	39716	11	109219	224	1112
38 x 688	274.16	10912	4	43648	11	120032	224	1222
38 x 750	298.37	11875	3	35625	11	130625	224	1330
28 x 812	322.50	12836	3	38508	11	141196	224	1438
38 x 875	346.83	13808	3	41424	9	124272	224	1546
38 x 938	371.28	14777	3	44331	9	132993	210	1552
38 x 1.0	395.16	15727	2	31454	9	141543	197	1549
38 x 1.062	418.96	16675	2	33350	8	133400	186	1551
38 x 1.125	443.05	17633	2	35266	8	141064	176	1552
38 x 1.188	467.06	18859	2	37178	8	148712	167	1552
38 x 1.25	490.61	19526	2	39052	6	117156	159	1552
38 x 1.312 (30')	514.08	15320	3	45960	9	137880	202	1547
38 x 1.375 (25')	537.84	13392	3	40176	11	147312	232	1553
38 x 1.487 (20')	579.87	11539	4	46156	11	126929	269	1552
38 x 1.50 (20')	584.73	11636	3	34908	11	127996	267	1553
40 x 312	132.25	5264	4	21056	11	57904	192	505
40 x 344	145.69	5798	4	23192	11	63778	192	557
40 x 375	158.70	6316	4	25264	11	69476	192	606
40 x 406	171.68	6833	4	27332	11	75163	192	656
40 x 438	185.06	7365	4	29460	11	81015	192	707
40 x 469	198.01	7881	4	31524	11	86691	192	757
40 x 500	210.93	8395	4	33580	11	92345	192	806
40 x 562	236.71	9421	4	37684	11	103631	192	904
40 x 625	262.83	10461	4	41844	11	115071	192	1004
40 x 688	288.86	11497	4	45988	11	126467	192	1101
40 x 750	314.39	12513	3	37539	11	137643	192	1201
40 x 812	339.84	13526	3	40578	11	148786	192	1298
40 x 875	365.62	14552	3	43656	9	130968	192	1397
40 x 938	391.32	15575	3	46725	9	140175	192	1495
40 x 1.0	416.52	16577	2	33154	9	149193	187	1550
40 x 1.062	441.64	17577	2	35154	8	140616	176	1547
40 x 1.125	467.08	18590	2	37180	8	148720	167	1552
40 x 1.188	492.44	19599	2	39198	6	117594	158	1548
40 x 1.25	517.31	20589	2	41178	6	123534	150	1541
40 x 1.312 (30')	542.10	16155	2	32310	9	145395	192	1554
40 x 1.375 (25')	567.21	14124	3	42372	9	127116	220	1554
40 x 1.487 (20')	611.63	12171	3	36513	11	133881	255	1552
40 x 1.50 (20')	616.77	12274	3	36822	11	135014	253	1553

PIECES PER MODE OF TRANSPORTATION

SIZE	WT/FT	WT/PC	PCS TRUCK	WEIGHT	PCS RAIL	WEIGHT	PCS BARGE	(Tons) WEIGHT
42 x 312	138.91	5529	4	22116	11	60819	182	503
42 x 344	153.04	6091	4	24364	11	67001	182	554
42 x 375	166.71	6635	4	26540	11	72985	182	604
42 x 406	180.35	7178	4	28712	11	78958	182	653
42 x 438	194.42	7738	4	30952	11	85118	182	704
42 x 469	208.03	8280	4	33120	11	91080	182	753
42 x 500	221.61	8820	4	35280	11	97020	182	803
42 x 562	248.72	9899	4	39596	11	108889	182	901
42 x 625	276.18	10992	4	43968	11	120912	182	1000
42 x 688	303.55	12081	3	36243	11	132891	182	1099
42 x 750	330.41	13150	3	39450	11	144650	182	1197
42 x 812	357.19	14216	3	42648	9	127944	182	1294
42 x 875	384.31	15296	3	45888	9	137664	182	1392
42 x 938	411.35	16372	2	32744	9	147348	182	1490
42 x 1.0	437.88	17428	2	34856	8	139424	178	1551
42 x 1.062	464.32	18480	2	36960	8	147840	168	1552
42 x 1.125	491.11	19546	2	39092	6	117276	159	1554
42 x 1.188	517.82	20609	2	41218	6	123654	150	1546
42 x 1.25	544.01	21652	2	43304	6	129912	143	1548
42 x 1.312 (35')	570.13	19841	2	39682	7	138887	156	1548
42 x 1.375 (30')	596.58	17778	2	35556	8	142224	174	1547
42 x 1.487 (25')	643.39	16020	2	32040	9	144180	193	1546
42 x 1.50 (20')	648.81	12911	3	38733	11	142021	240	1549
44 x 312	145.58	5794	4	23176	9	52146	176	510
44 x 344	160.39	6384	4	25536	9	57456	176	562
44 x 375	174.72	6954	4	27816	9	62586	176	612
44 x 406	189.03	7523	4	30092	9	67707	176	662
44 x 438	203.78	8110	4	32440	9	72990	176	714
44 x 469	218.04	8678	4	34712	9	78102	176	764
44 x 500	232.29	9245	4	36980	9	83205	176	814
44 x 562	260.72	10377	4	41508	9	93393	176	913
44 x 625	289.53	11523	4	46092	9	103707	176	1014
44 x 688	318.25	12666	3	37998	9	113994	176	1115
44 x 750	346.43	13788	3	41364	9	124092	176	1213
44 x 812	374.53	14906	3	44718	9	134154	176	1312
44 x 875	403.00	16039	2	32078	9	144351	176	1411
44 x 938	431.39	17169	2	34338	8	137352	176	1511
44 x 1.0	459.24	18278	2	36556	8	146224	170	1554
44 x 1.062	487.01	19383	2	38766	6	116298	160	1551
44 x 1.125	515.14	20503	2	41006	6	123018	151	1548
44 x 1.188	543.19	21619	2	43238	6	129714	143	1546
44 x 1.25	570.71	22714	2	45428	6	136284	136	1545
44 x 1.312 (35')	598.15	20816	2	41632	6	124896	149	1551
44 x 1.375 (30')	625.95	18779	2	37558	6	112674	165	1549
44 x 1.487 (25')	675.16	16811	2	33622	8	134488	184	1547
44 x 1.50 (20')	680.85	13549	3	40647	11	149039	230	1558

PIECES PER MODE OF TRANSPORTATION

SIZE	WT/FT	WT/PC	PCS TRUCK	WEIGHT	PCS RAIL	WEIGHT	PCS BARGE	(Tons) WEIGHT
46 x 312	152.24	6059	4	24236	9	54531	152	460
46 x 344	167.74	6676	4	26704	9	60084	152	507
46 x 375	182.73	7273	4	29092	9	65457	152	553
46 x 406	197.70	7868	4	31472	9	70812	152	598
46 x 438	213.13	8483	4	33932	9	76347	152	645
46 x 469	228.06	9077	4	36308	9	81693	152	690
46 x 500	242.97	9670	4	38680	9	87030	152	735
46 x 562	272.73	10855	4	43420	9	97695	152	825
46 x 625	302.88	12055	3	36165	9	108495	152	916
46 x 688	332.95	13251	3	39753	9	119259	152	1007
46 x 750	362.45	14426	3	43278	9	129834	152	1096
46 x 812	391.88	15597	2	31194	9	140373	152	1185
46 x 875	421.69	16783	2	33566	8	134264	152	1276
46 x 938	451.42	17967	2	35934	8	143736	152	1365
46 x 1.0	480.60	19128	2	38256	6	114768	152	1454
46 x 1.062	509.69	20286	2	40572	6	121716	152	1542
46 x 1.125	539.17	21459	2	42918	6	128754	144	1545
46 x 1.188	568.57	22629	2	45258	6	135774	137	1550
46 x 1.25	597.41	23777	1	23777	6	142662	130	1546
46 x 1.312 (35')	626.18	21791	2	43582	6	130746	142	1547
46 x 1.375 (30')	655.32	19529	2	39058	6	117174	159	1553
46 x 1.487 (25')	706.93	17602	2	35204	8	140816	176	1549
46 x 1.50 (20')	712.89	14187	3	42561	10	141870	218	1546
48 x 312	158.90	6324	4	25296	9	56916	132	417
48 x 344	175.08	6968	4	27872	9	62712	132	460
48 x 375	190.74	7591	4	30364	9	69319	132	501
48 x 406	206.37	8214	4	32856	9	73926	132	542
48 x 438	222.49	8855	4	35420	9	79695	132	584
48 x 469	238.09	9476	4	37904	9	85284	132	625
48 x 500	253.65	10095	4	40380	9	90855	132	666
48 x 562	284.73	11332	4	45328	9	101988	132	748
48 x 625	316.23	12586	3	37758	9	113274	132	831
48 x 688	347.64	13836	3	41508	9	124524	132	913
48 x 750	378.47	15063	3	45189	9	135567	132	994
48 x 812	409.22	16287	2	32574	9	146583	132	1075
48 x 875	440.38	17527	2	35054	8	140216	132	1157
48 x 938	471.46	18764	2	37528	6	112584	132	1238
48 x 1.0	501.96	19987	2	39956	6	119868	132	1319
48 x 1.062	532.28	21189	2	42378	6	127134	132	1398
48 x 1.125	563.20	22415	2	44830	6	134490	132	1479
48 x 1.188	593.94	23639	1	23639	6	141834	131	1548
48 x 1.25	624.11	24840	1	24840	6	149040	125	1553
48 x 1.312	654.20	26037	1	26037	5	130185	119	1549
48 x 1.375	684.69	27251	1	27251	5	136255	114	1553
48 x 1.487	738.68	29399	1	29399	5	146995	105	1543
48 x 1.50	744.93	29648	1	29648	5	148240	104	1542

PIECES PER MODE OF TRANSPORTATION

SIZE	WT/FT	WT/PC	PCS TRUCK	WEIGHT	PCS RAIL	WEIGHT	PCS BARGE	(Tons) WEIGHT
52 x 375	206.76	8229	2	16458	5	41145	116	477
52 x 406	223.72	8904	2	17808	5	44520	116	516
52 x 438	241.20	9600	2	19200	5	48000	116	557
52 x 469	258.11	10273	2	20546	5	51365	116	596
52 x 500	275.01	10945	2	21890	5	54725	116	635
52 x 562	308.74	12288	1	12288	5	61440	116	713
52 x 625	342.93	13649	1	13649	5	68245	116	792
52 x 688	377.03	15006	1	15006	5	75030	116	870
52 x 750	410.51	16338	1	16338	5	81690	116	948
52 x 812	443.91	17668	1	17668	5	88340	116	1025
52 x 875	477.76	19015	1	19015	5	95075	116	1103
52 x 938	511.53	20359	1	20359	5	101795	116	1181
52 x 1.0	544.68	21678	1	21678	5	108390	116	1257
52 x 1.125	611.26	24328	1	24328	5	121640	116	1411
52 x 1.25	677.51	26965	1	26965	5	134825	115	1550
52 x 1.375	743.43	29589	1	29589	5	147945	105	1553
52 x 1.50	809.01	32199	1	32199	4	128796	96	1546
54 x 375	214.77	8548	2	17096	5	42740	104	444
54 x 406	232.39	9249	2	18498	5	46245	104	481
54 x 438	250.55	9972	2	19944	5	49860	104	519
54 x 469	268.13	10672	2	21344	5	53360	104	555
54 x 500	285.69	11370	2	22740	5	56850	104	591
54 x 562	320.74	12765	1	12765	5	63825	104	664
54 x 625	356.28	14180	1	14180	5	70900	104	737
54 x 688	391.73	15591	1	15591	5	77955	104	811
54 x 750	426.53	16976	1	16976	5	84880	104	883
54 x 812	461.25	18358	1	18358	5	91790	104	955
54 x 875	496.45	19759	1	19759	5	98795	104	1027
54 x 938	531.57	21156	1	21156	5	105780	104	1100
54 x 1.0	566.04	22528	1	22528	5	112640	104	1171
54 x 1.125	635.29	25285	1	25285	5	126425	104	1315
54 x 1.25	704.21	28028	1	28028	5	140140	104	1457
54 x 1.375	772.80	30757	1	30757	4	123028	101	1553
54 x 1.50	841.05	33474	1	33474	4	133896	92	1540
56 x 375	222.78	8867	2	17734	4	35468	88	390
56 x 406	241.06	9594	2	19188	4	38376	88	422
56 x 438	259.91	10344	2	20688	4	41376	88	455
56 x 469	278.15	11070	2	22140	4	44280	88	487
56 x 500	296.37	11796	2	23592	4	47184	88	519
56 x 562	332.75	13243	1	13243	4	52972	88	583
56 x 625	369.63	14711	1	14711	4	58844	88	647
56 x 688	406.42	16176	1	16176	4	64704	88	712
56 x 750	442.55	17613	1	17613	4	70452	88	775
56 x 812	478.60	19048	1	19048	4	76192	88	838
56 x 875	515.14	20503	1	20503	4	82012	88	902
56 x 938	551.60	21954	1	21954	4	87816	88	966
56 x 1.0	587.40	23379	1	23379	4	93516	88	1029
56 x 1.125	659.32	26241	1	26241	4	104964	88	1155
56 x 1.25	730.91	29090	1	29090	4	116360	88	1280
56 x 1.375	802.17	31926	1	31926	4	127704	88	1405
56 x 1.50	873.09	34749	1	34749	4	138996	88	1529

PIECES PER MODE OF TRANSPORTATION

SIZE	WT/FT	WT/PC	PCS TRUCK	WEIGHT	PCS RAIL	WEIGHT	PCS BARGE	(Tons) WEIGHT
60 x 375	238.80	9504	2	19008	4	38016	88	418
60 x 406	258.40	10284	2	20568	4	41136	88	452
60 x 438	278.62	11089	2	22178	4	44356	88	488
60 x 469	298.19	11686	2	23736	4	47472	88	522
60 x 500	317.73	12646	2	25292	4	50584	88	556
60 x 562	356.76	14199	1	14199	4	56796	88	625
60 x 625	396.33	15774	1	15774	4	63096	88	694
60 x 688	435.81	17345	1	17345	4	69380	88	763
60 x 750	474.59	18889	1	18889	4	75556	88	831
60 x 812	513.29	20429	1	20429	4	81716	88	899
60 x 875	552.52	21990	1	21990	4	87960	88	968
60 x 938	591.67	23548	1	23548	4	94192	88	1036
60 x 1.0	630.12	25079	1	25079	4	100316	88	1103
60 x 1.125	707.38	28154	1	28154	4	112616	88	1239
60 x 1.25	784.31	31216	1	31216	4	124864	88	1374
60 x 1.375	860.91	34264	1	34264	4	137056	88	1508
60 x 1.50	937.17	37299	1	37299	4	149196	83	1548
64 x 375	254.82	10142	1	10142	4	40568	84	426
64 x 406	275.75	10975	1	10975	4	43900	84	461
64 x 438	297.33	11834	1	11834	4	47336	84	497
64 x 469	318.22	12665	1	12665	4	50660	84	532
64 x 500	339.09	13496	1	13496	4	53984	84	567
64 x 562	380.76	15154	1	15154	4	60616	84	636
64 x 625	423.03	16837	1	16837	4	67348	84	707
64 x 688	465.21	18515	1	18515	4	74060	84	778
64 x 750	506.63	20164	1	20164	4	80656	84	847
64 x 812	547.98	21810	1	21810	4	87240	84	916
64 x 875	589.90	23478	1	23478	4	93912	84	986
64 x 938	361.74	25143	1	25143	4	100572	84	1056
64 x 1.0	672.84	26779	1	26779	4	107116	84	1125
64 x 1.125	755.44	30067	1	30067	4	120268	84	1263
64 x 1.25	837.71	33341	1	33341	4	133364	84	1400
64 x 1.375	919.65	36602	1	36602	4	146408	84	1537
64 x 1.50	1001.25	39850	1	39850	3	119550	78	1554